

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	414	700/112,115,228.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 16:12
S2	2617	automatic\$8 with (carrier or cassette) with transfer\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/04 22:30
S3	3271	automatic\$8 with (carrier or cassette) with (transfer\$8 or exchang\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/04 22:30
S4	6	"automatic carrier transfer"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/04 22:31
S5	3	carrier with ("sub route" or "sub-route")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 16:24
S6	14	WANG-YU-CHIN WANG-YU-CHI CHENG-HSIANG-JUI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/05 20:34
S7	10	(tranfer\$5 near2 wafer) with (carrier or cassette)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/05 20:57
S8	15	(split\$5 near2 wafer) with (carrier or cassette)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/05 20:57
S9	76	"wafer sorter"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/05 21:36

S10	29	"wafer sorter" and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/05 23:47
S11	9	((transfer\$5 or merg\$5 or split\$5) near wafer) with sorter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 17:07
S12	47	"wafer sorter" not ("wafer sorter" and database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/05 23:47
S15	14	(US-20020021837-\$ or US-20040111339-\$).did. or (US-5751581-\$ or US-6035245-\$ or US-6108585-\$ or US-6174375-\$ or US-6240335-\$ or US-6303398-\$ or US-6308107-\$ or US-6356804-\$ or US-6392403-\$ or US-6431814-\$ or US-6520727-\$ or US-6584371-\$).did.	US-PGPUB; USPAT	OR	ON	2005/07/08 13:09
S16	9	S15 and (database or "data base")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 13:09
S17	31	700/112,115,228.ccls. and (database near2 (sequence or process\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 16:12
S18	16	700/112,115,228.ccls. and (database near2 (sequence or process\$5)) and wafer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 16:12
S19	6	wafer same ("sub route" or "sub-route")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 16:24
S20	32000	(transfer\$5 or merg\$5 or split\$5 or sort\$5) near (carrier or wafer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 17:08

S21	37	((transfer\$5 or merg\$5 or split\$5 or sort\$5) near (carrier or wafer)) with (database or "data base")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 13:29
S22	23	((transfer\$5 or merg\$5 or split\$5 or sort\$5) near2 (wafer)) with (database or "data base")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 13:29
S23	33	((transfer\$5 or merg\$5 or split\$5 or sort\$5) near2 (substrate or wafer)) with (database or "data base")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 13:40
S25	0	((branch\$5) near2 (substrate or wafer)) with (database or "data base!")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 13:40
S26	101	((branch\$5 or transfer\$5 or merg\$5 or split\$5 or sort\$5) near (substrate or wafer)) same (database or "data base")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 13:40